

1 4.17 UTILITIES AND SERVICE SYSTEMS

Issues & Supporting Information Sources	Potentially Significant Impact	Less Than Significant With Mitigation Incorporated	Less Than Significant Impact	No Impact
Would the project:				
a. Exceed wastewater treatment requirements of the applicable Regional Water Quality Control Board?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
b. Require or result in the construction of new water or wastewater treatment facilities or expansion of existing facilities, the construction of which could cause significant environmental effects?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
c. Require or result in the construction of new storm water drainage facilities or expansion of existing facilities, the construction of which could cause significant environmental effects?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
d. Have sufficient water supplies available to serve the project from existing entitlements and resources, or are new or expanded entitlements needed?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
e. Result in a determination by the wastewater treatment provider which serves or may serve the project that it has adequate capacity to serve the project's projected demand in addition to the provider's existing commitments?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
f. Be served by a landfill with sufficient permitted capacity to accommodate the project's solid waste disposal needs?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
g. Comply with federal, state, and local statutes and regulations related to solid waste?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>

2 4.17.1 Environmental Setting

3 The Project would not generate a need for additional wastewater treatment. The small number of
 4 construction workers and the gate operators would be drawn from the local population already
 5 served by wastewater treatment facilities. The Project would not require the construction of storm
 6 water drainage facilities, nor would it require water supplies. Thus, these issue areas are not
 7 discussed further.

8 The nearest solid waste facility that accepts construction and demolition waste is Keller Canyon
 9 Landfill in Pittsburg, approximately 29 miles northwest of the Old River site. This private facility
 10 is one of two active, permitted facilities in Contra Costa County and is permitted to receive
 11 3,500 tons of solid waste daily. Keller Canyon Landfill has approximately 84 percent remaining
 12 capacity available to accept new waste. It accepts municipal solid waste, non-liquid industrial
 13 waste, contaminated soils, ash, grit, and sludge. The site currently handles approximately
 14 2,500 tons of waste per day (CIWMB 2008).

15 4.17.2 Regulatory Setting

16 The Project is subject to Title 14 of the California Code of Regulations, which outlines standards
 17 for solid waste handling and disposal.

18 4.17.3 Impacts and Mitigation Measures

19 4.17.3.1 No Project

20 The No Project alternative would not generate solid waste because no development would occur.

4.17.3.2 2-Gates Project

a. Exceed wastewater treatment requirements of the applicable Regional Water Quality Control Board?

No Impact. See above.

b. Require or result in the construction of new water or wastewater treatment facilities or expansion of existing facilities, the construction of which could cause significant environmental effects?

No Impact. See above.

c. Require or result in the construction of new storm water drainage facilities or expansion of existing facilities, the construction of which could cause significant environmental effects?

No Impact. See above.

d. Have sufficient water supplies available to serve the project from existing entitlements and resources, or are new or expanded entitlements needed?

No Impact. See above.

e. Result in a determination by the wastewater treatment provider which serves or may serve the project that it has adequate capacity to serve the project's projected demand in addition to the provider's existing commitments?

No Impact. See above.

f. Be served by a landfill with sufficient permitted capacity to accommodate the project's solid waste disposal needs

Less than Significant. The Project would generate minimal amounts of solid waste during construction and operations. Dredged material would be disposed of on Bacon Island, and any rock removed would be stored as needed on Holland Tract. The nearby landfill has sufficient capacity to accommodate solid waste generated by the Project.

g. Comply with federal, state, and local statutes and regulations related to solid waste

Less than Significant. The solid waste would be disposed of in accordance with all regulatory requirements.

4.17.3.3 Cumulative Impacts

The Project would generate minimal solid waste during construction and operations that could readily be accommodated by area landfills. Any cumulative impacts would be less than significant.